

**Safety Data Sheet**  
**REGULATORY REACH 1907/2006**  
**BB600 NEGRO BLANCO**



**Safety Data Sheet dated 9/3/2019, version 1**

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier

Mixture identification:

Trade name : NEGRO BLANCO

Trade code : BB600

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product type and use: Painting product for car refinish and industrial job-professional use-

1.3. Details of the supplier of the safety data sheet

Supplier:

ROBERLO, S.A.

Carretera N-II, Km. 706,5 - E-17457 - Riudellots de la Selva (Girona) – ESPAÑA

Teléfono: +34 972 478 060 - Fax: +34 972 477 394

Competent person responsible for the safety data sheet:

[msds@roberlo.com](mailto:msds@roberlo.com)

1.4. Emergency telephone number

+34 972 478060 (8:00-12:45 / 14:15-17:30 h) ROBERLO (Spain) (GMT + 1:00)

---

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

---

**SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

**Safety Data Sheet**  
**REGULATORY REACH 1907/2006**  
**BB600 NEGRO BLANCO**



Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>=1% -< 3%	2-butoxyethanol; ethylene glycol monobutyl ether	Index number: 603-014-00-0 CAS: 111-76-2 EC: 203-905-0 REACH No.: 01-2119475108-36	3.1/4/Dermal Acute Tox. 4 H312 3.1/4/Inhal Acute Tox. 4 H332 3.1/4/Oral Acute Tox. 4 H302 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319
>=1% -< 3%	PARAFFINE (PETROLIO) NORMALI C>10	CAS: 64771-71-7 EC: 265-232-9 REACH No.: 01-2119475608-26	3.10/1 Asp. Tox. 1 H304

**SECTION 4: First aid measures**

- 4.1. Description of first aid measures  
 In case of skin contact:  
 Wash with plenty of water and sop.  
 In case of eyes contact:  
 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 In case of Ingestion:  
 Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.  
 In case of Inhalation:  
 Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed  
 No data available
- 4.3. Indication of any immediate medical attention and special treatment needed  
 Treatment:  
 None

**SECTION 5: Firefighting measures**

- 5.1. Extinguishing media  
 Suitable extinguishing media:  
 Water.  
 Carbon dioxide (CO2).  
 Extinguishing media which must not be used for safety reasons:  
 None in particular.
- 5.2. Special hazards arising from the substance or mixture  
 Do not inhale explosion and combustion gases.  
 Burning produces heavy smoke.
- 5.3. Advice for firefighters  
 Use suitable breathing apparatus .  
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
 Move undamaged containers from immediate hazard area if it can be done safely.

**Safety Data Sheet**  
**REGULATORY REACH 1907/2006**  
**BB600 NEGRO BLANCO**



---

**SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
  - Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections
  - See also section 8 and 13

---

**SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Do not eat or drink while working.
  - See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Keep away from food, drink and feed.
  - Incompatible materials:
    - None in particular.
  - Instructions as regards storage premises:
    - Adequately ventilated premises.
- 7.3. Specific end use(s)
  - None in particular

---

**SECTION 8: Exposure controls/personal protection**

- 8.1. Control parameters
  - 2-butoxyethanol; ethylene glycol monobutyl ether - CAS: 111-76-2
    - EU - TWA(8h): 98 mg/m<sup>3</sup>, 20 ppm - STEL: 246 mg/m<sup>3</sup>, 50 ppm - Notes: Skin
    - ACGIH - TWA(8h): 20 ppm - Notes: A3, BEI - Eye and URT irr
    - 10 - TWA(8h): 98 mg/m<sup>3</sup>, 20 ppm - STEL: 246 mg/m<sup>3</sup>, 50 ppm - Notes: pelle
  - DNEL Exposure Limit Values
    - 2-butoxyethanol; ethylene glycol monobutyl ether - CAS: 111-76-2
      - Worker Professional: 75 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects
      - Worker Professional: 98 mg/kg - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
  - PNEC Exposure Limit Values
    - 2-butoxyethanol; ethylene glycol monobutyl ether - CAS: 111-76-2
      - Target: 08 - Value: 463 mg/l
      - Target: Fresh Water - Value: 34.6 mg/kg
      - Target: Marine water - Value: 3.46 mg/kg
      - Target: Soil (agricultural) - Value: 3.13 mg/kg
- 8.2. Exposure controls
  - Eye protection:
    - Not needed for normal use. Anyway, operate according good working practices.
  - Protection for skin:

**Safety Data Sheet**  
**REGULATORY REACH 1907/2006**  
**BB600 NEGRO BLANCO**



No special precaution must be adopted for normal use.  
 Protection for hands:  
 Not needed for normal use.  
 Respiratory protection:  
 Not needed for normal use.  
 Thermal Hazards:  
 None  
 Environmental exposure controls:  
 None  
 Appropriate engineering controls:  
 None

**SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquido	--	--
Odour:	CHARACTER ISTIC	--	--
Odour threshold:	N.A.	--	--
pH:	8.5	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	> 35 gradi C.	--	--
Flash point:	> 60	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.D.	--	--
Vapour density:	>Aria	--	--
Relative density:	1.15 Kg/L Kg/L	--	--
Solubility in water:	Solubile	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	kv > 20,5 mm <sup>2</sup> /s	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.D.	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Solids	41.8	--	--

**Safety Data Sheet**  
**REGULATORY REACH 1907/2006**  
**BB600 NEGRO BLANCO**



% Volatile carbon:	3.3	--	--
% Solvent	6.5	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

---

**SECTION 10: Stability and reactivity**

- 10.1. Reactivity  
Stable under normal conditions
- 10.2. Chemical stability  
Stable under normal conditions
- 10.3. Possibility of hazardous reactions  
None
- 10.4. Conditions to avoid  
Stable under normal conditions.)
- 10.5. Incompatible materials  
None in particular.
- 10.6. Hazardous decomposition products  
None.

---

**SECTION 11: Toxicological information**

- 11.1. Information on toxicological effects  
Toxicological information of the product:  
N.A.
- Toxicological information of the main substances found in the product:  
2-butoxyethanol; ethylene glycol monobutyl ether - CAS: 111-76-2
  - a) acute toxicity:  
Test: LC50 - Route: Inhalation - Species: Rat = 450 Ppm - Duration: 4h  
Test: LD50 - Route: Oral - Species: Rat = 1746 mg/kg  
Test: LD50 - Route: Skin - Species: Rat = 6411 mg/kg
- 2-butoxyethanol; ethylene glycol monobutyl ether - CAS: 111-76-2  
OBSERVATIONS ON HUMAN SUBJECTS:  
probable lethal oral dose: 50-500 mg/Kg.  
Following repeated and/or prolonged exposure, it causes headache, drowsiness, debility, stuttering, tremors, blurred vision, albuminuria and damage to the bone marrow.

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

**Safety Data Sheet**  
**REGULATORY REACH 1907/2006**  
**BB600 NEGRO BLANCO**



---

**SECTION 12: Ecological information**

- 12.1. Toxicity  
Adopt sound working practices, so that the product is not released into the environment.  
2-butoxyethanol; ethylene glycol monobutyl ether - CAS: 111-76-2  
a) Aquatic acute toxicity:  
Endpoint: EC50 - Species: Daphnia = 1550 mg/l - Duration h: 48  
Endpoint: EC50 - Species: Algae = 911 mg/l - Duration h: 72  
Endpoint: LC50 - Species: Fish = 1474 mg/kg - Duration h: 96
- 12.2. Persistence and degradability  
None  
N.A.
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

**SECTION 13: Disposal considerations**

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

**SECTION 14: Transport information**

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
N.A.
- 14.3. Transport hazard class(es)  
N.A.
- 14.4. Packing group  
N.A.
- 14.5. Environmental hazards  
IMDG-Marine pollutant: NO
- 14.6. Special precautions for user  
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
N.A.

---

**SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830

**Safety Data Sheet**  
**REGULATORY REACH 1907/2006**  
**BB600 NEGRO BLANCO**



Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

---

**SECTION 16: Other information**

Text of phrases referred to under heading 3:

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

NIOSH - Registry of toxic effects of chemical substances (1983)

I.N.R.S. - Fiche Toxicologique

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

**Safety Data Sheet**  
**REGULATORY REACH 1907/2006**  
**BB600 NEGRO BLANCO**



It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.